

REQUEST FOR PROPOSALS

For Swimming Pool Repair

City of Eagle Lake, Texas

The City of Eagle Lake, Texas is accepting Request for Proposals (RFP) from qualified pool service and equipment companies for swimming pool repairs for the city pool located at 404 South McCarty, Eagle Lake, TX.

Description of Repairs:

1. Remove water from the swimming pool.
2. Chip out all plaster and pressure wash swimming pool, acid etch entire pool with muriatic acid.
3. Backfill with brown coat substrate.
4. Plaster pool ½" to ¾" thick.
5. Remove and replace 6 pool lights with LED pool lights.
6. Remove and replace tile on perimeter of main pool and children's pool.
7. Remove and replace curb on perimeter of pool.
8. Replace black tile swimming lanes, 540 linear feet.
9. Replace 11 skimmers.
10. Identify and repair leaks in pump system under pool deck.
11. Install Back Bar and Deck O Seal on all expansion joints in and around swimming pool.
12. Pool dimensions: 43' x 121'. Depth: 3' to 10.5'.

Note: Remove plaster 3" deep beneath the tile. Contractor to verify all pool dimensions.

Pre-bid meeting will be held on an individual basis with the Public Works Director, by appointment only.
Bids are due by 4:30 p.m. Thursday, January 13, 2022, in the Office of the Budget Officer, City of Eagle Lake, P.O. Box 38 or 100 East Main, Eagle Lake, Texas 77434.

The City of Eagle Lake reserves the right to reject any or all proposals, to waive irregularities and/or informalities in any proposal, and to make an award in any manner, consistent with law, deemed to be the most advantageous to the City of Eagle Lake.